

## Product Specification & Design Guide

# Our Story

At Perfect Fit Closets, our Authorized Dealers are provided with a robust design catalog for all their design and estimation needs. Dealers can quickly design custom closets, pantry, mudroom, office and more with our extensive product offerings and accessories.

With previous professional experience ourselves, as Dealers and Installers, we are all about removing the obstacles involved. Our focus is to streamline processes and provide superior customer service to our partners. We are here to guide you, from your first design to your first installation and all the steps in between. We hope you enjoy working with our products as much as we enjoy offering them to you.

## Table of Contents

Our Story	2
Our Training	4

The Benefits5Colors6-9Profiles10Inserts – Glass11Drawer Boxes12The Build ¾" vs 1- ½"13How the System Works14-15Wall Clearances16Space Designs Ideas17-36Part Specifications37-46Tower, Wall & Island Ideas47-63Closet Accessories66Handles67	Closets	5-69
Lighting 68-69	Colors Profiles Inserts – Glass Drawer Boxes The Build ¾" vs 1- 1⁄2" How the System Works Wall Clearances Space Designs Ideas Part Specifications Tower, Wall & Island Ideas Closet Accessories Office Accessories	6-9 10 11 12 13 14-15 16 17-36 37-46 47-63 64-65 66

Garages	70-90
The Benefits Colors How the System Works Tall, Base & Upper Cabinets Part Specifications Profiles Drawer Boxes Space Designs Ideas Garage Accessories	71 72-75 76-77 78-80 81-84 85 86 87-89 90

Design & Install Information	91
Order Process	92
Pallet & Packaging	93
Product Care	94
Warranty	95

## Our Training

Dealer Portal Tour & Product Overview

ONE

1 Hour Instructor-led

## TWO

Sales - Industry Design Standards

1 Hour Instructor-led 2020 PFC Design Catalog

Introduction

THREE


1 Hour Instructor-led On-going personalized guidance. Enjoy complimentary one-on-one training sessions with a live agent who will assist you with design reviews, offer suggestions, and provide education.

Access our Dealer Portal e-learning resources 24/7, featuring videos and documentation for your sales, design, and installation team.

## COMPLIMENTARY

# Our Training

- Every order is custom produced for your client with hardware included
- Adjustability of shelves as clients change their needs and inventory
- No extra charge for specialty sized items
- □ Panels and shelves are available in solid 3/4" & 1.5" thickness
- Limited lifetime warranty
- □ Color Matching 3/4" thick drawer boxes
- All Panels have TOP, FRONT & BOTTOM edge-banding
- □ 5 accessory matching color schemes
- Direct color matched 1mm edge-banding
- Edge-banding is produced by a Zero-joint glue process leaving the product with smooth soft to the touch edges
- Industry known and eco-friendly materials
- Soft-Close undermount slides and hinges as our standards



## Closets

antry

atho

## Mucrooms

rV

ntertainmen

## More...



## LEGEND:

6 1-1/2" Thick

🛞 TFL90 Shaker

STFL90 Shaker GD

<sup>3</sup>/4" Drawer Box



## **TFL Level Three**


## LEGEND:



## **High Gloss**

## LEGEND:









## Matte





## Euro



- Available in all colors
- Matching 1mm edge-banding


19 mm 3⁄4"

- Max size of 24"W x 96"H per door
- Zero Joint, superior smooth corner edge-banding



110' Soft-Close Hinges defaulted on all Doors








57.15 mn





- Available in all colors
- Matching 1mm edge-banding
- Max size of 24"W x 96"H per door
- Zero Joint, superior smooth corner edge-banding

• Handles on page 67 • Glass inserts page 11



## Bamboo

Elegant elongated textures to create a semi transparent view

Gorgeous translucent frosted textures





## Cathedral

Woven textures showcasing a translucent finish

Trending rippled effects providing a exquisite look

Timeless mirror finish

Mirror





## Clear

Classic see through glass





25 plus TFL Colors

- TFL drawer boxes are available in all matching TFL colors to the designed closet.
- Soft-close or Push-to-Open slides are used with every drawer box.
- DTC's concealed undermount Slides featuring Soft-Close, full extension and a 4-way adjustment locking clips.



## TFL Drawer Box

3/4" Thick Walls & 3/4" Thick Bottom Undermount Soft-close Slides Push to Open Slides available 1 ¼" Spacers available for install behind doors



Custom Width Range: 8" to 36"

Standard Widths: 18" / 24" / 30" Standard Heights: 6" / 8" / 9" / 12" Standard Depths: 12" / 14" / 16" / 18" / 22"

### Dovetail Drawer Box

5/8" Thick Walls & 1/4" Thick Bottom Undermount Soft-close Slides Push to Open Slides available



Custom Width Range: 8" to 36"

Standard Widths : 18" / 24" / 30" Standard Heights: 6" / 8" / 9" / 12" Standard Depths: 12" / 14" / 16" / 18" / 22"

1 ¼" Spacers available for install behind doors

Scooped Dovetail Drawer Box

5/8" Thick Walls & 1/4" Thick Bottom Undermount Soft-close Slides Push to Open Slides available

1 ¼" Spacers available for install behind doors



Custom Width Range: 8" to 36"

Standard Widths : 18" / 24" / 30" Standard Heights: 2" / 3" / 6" / 8" Standard Depths : 12-5/8 " / 14-5/8" / 16-5/8" Depths Continued : 18-5/8" / 22-5/8"

## The Build 3/4" vs 1 1/2"

## Enhance your closet design using 1 <sup>1</sup>/<sub>2</sub>" thick parts to provide a bold look to your next project.

Construction: Two solid ¾" panels doweled and glued together with one seamless 1mm edge band, All parts selected will have the same drilling pattern as the ¾" parts.





## 3/4" Thick

Available in TFL / Matte / High Gloss Available in Shelves, Panels and Tops Matching 1mm Edge-banding

## 1-1/2" Thick

Available in TFL or Matte (High Gloss not available) Available in Shelves, Panels and Tops Matching 1mm Edge banding


Not Available: Wall Panels, Matte Colors & Radius Corner shelves.

# The System



Assembly of all systems start with the connectors and hardware's for each component. All parts connect too and follow the 32mm line boring system holes making adjustability quick and easy as storage requirements change.

## The Wall System



## Hanging Hardware

Our hanging systems have 2 way adjustability's which compensates for bowed or uneven walls, whilst giving superior stability and support. Covers for rail and hardware come in 4 complimentary colors.

# Wall Clearance


Modules with <u>NO</u> Drawers or Doors:

Designing with modules against a wall must include a minimum clearance of 1/4" on both ends of the design.

Modules <u>WITH</u> Drawers or Doors:

If the module is to have Drawers or Doors, then a minimum clearance of 1" to 1.5" is needed to allow for opening. Standard 3" filler is added to the design.





MSRP \$1900




Notes:


□ Industry Design Standards: Depth 14" Height 84"

## □ Rod Placement:

Long Hang 65" Double Hang 40" & 80"

Design modules with min. ¼" spacing from Left and Right walls to ensure maximum fit without cutting.





□ Industry Design Standards: Depth 14"

Height 84" – 1" below ceiling

### Rod Placement:

Long Hang 65" Double Hang 40" & 80"


### Notes:

28" spacing recommended when starting the next design wall. Measured from previous design wall, not the panels.


Start build minimum 1" from wall and add filler if using drawers or doors next to the wall, if not applicable then design ¼" from the Left and Right walls.





С MSRP \$4400



Is your closet not big enough? Or, your space doesn't have a designated closet? Design a 24" deep wardrobe unit by using a variety of widths and components to achieve the perfect closet for your needs.









## Industry Design Standards: Depth 24"


Height 84" – 1" below ceiling

## Rod Placement:


Long Hang 65" Double Hang 40" & 80"

## Notes:

Start build minimum 1" from wall and add filler if using drawers or doors next to the wall.



Using scooped dovetail boxes, wire baskets, along with corner shelving towers, will maximize the storage capacity resulting optimal organization and functionality.



## □ Industry Design Standards:

Depth 15" - 16" Height 84" – 1" below ceiling

### Notes:

Start build minimum 1" from wall and add filler if using drawers or doors next to the wall.

Recommended to use floor panels inside a pantry, versus wall panels, due to weight of pantry products.















Creating the unit short and deep allows for best horizontal storage while still giving access for bulkier items at the top.







□ Industry Design Standards: Depth 19" Height 72"

### □ Notes:

Design modules with min. ¼" spacing from Left and Right walls to ensure maximum fit without cutting.





Utilizing the triple rod system allows adjustability as the child gets older and their inventory and needs change.









□ Industry Design Standards: Depth 14" Height 84"


□ Rod Placement: Triple Hang 25" / 53" / 80"

### Notes:

Design modules with min. ¼" spacing from Left and Right walls to ensure maximum fit without cutting







 Having a functional but esthetically appealing mudroom, allows this ergonomically designed space to be used daily by all family members.






□ Industry Design Standards:

Bench Depth 19" to 24" Bench Height 18" Upper Cabinet Depth 14" to 19" Tall Cabinet Depth 19" to 24" System Height 84" – 1" below ceiling


#### Notes:

Start Cabinet min. 1" from wall and add filler if using drawers or doors next to the wall.

Recommended to place hook placement 48" above the bench.



Messy laundry room is a thing of the past. With a functional design, an area to hang dry clothes and a counter top to fold items, you are sure to fall in love with this space once again.



MSRP \$8500




 ❑ Industry Design Standards: Base Cabinet Depth 24"
 Base Cabinet Height 36"
 Space between Counter and Uppers min. 18"
 Upper Cabinet Depth 14" to 19"
 Tall Cabinet Depth 24"
 System Height 84" – 1" below ceiling Notes:


Start Cabinet min. 1" from wall and add filler if using drawers or doors next to the wall.


MSRP \$8500





□ Kick back and spend your evening watching your favorite shows in amongst an elegantly designed entertainment system with push to open drawers and vertical lift doors. Design with any color and or grain textures to fit your space






□ Industry Design Standards: Base Cabinet Depth 16" to 19" Base Cabinet Height 18" Upper Cabinet Depth 12" to 14" System Height – design dependent


#### Notes:


Place Back Panels behind the cabinets to allow proper anchoring.





Design a single or double work station utilizing office storage accessories and monitor mounts to give the desk top a clean and organized look.





### Industry Design Standards:

Desk Depth 19" to 24" Desk Height 29" to 30" Upper Cabinet Depth 12" to 14" Space between desk and Uppers min. 18" System Height 84" – 1" below ceiling



Use 12.5" height drawer boxes for filing cabinet drawers.



# □ Shelves

Custom Width Range: 4" to 48" Standard Widths: 18" / 24" / 30" / 36"

Custom Depth Range: 8" to 30" Standard Depths: 14" / 16" / 19" / 24"

Thickness Availability: 3/4" or 1-1/2"

# □ Floor Panels

Custom Height Range: 6" to 108" Standard Heights: 84" / 96" / 108"

Custom Depth Range: 8" to 30" Standard Depths: 14" / 16" / 19" / 24"

Thickness Availability: 3⁄4" or 1-1⁄2"

# □ Toe Kicks

Standard Heights: 3-3/4" / 5" / 6 1/4"

Custom Width Range: 4" to 48" Standard Widths: 18"/24"/30"/36"

Thickness Availability: 3/4"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.

# Shelves – Fixed with Cams

Custom Width Range Width: 4" to 48" Standard Widths: 18" / 24" / 30" / 36"

Custom Depth Range: 8" to 30" Standard Depths: 14" / 16" / 19" / 24" ------Thickness: 3/4" or 1-1/2"

# □ Wall Panels

Custom Height Range: 12" to 84" Standard Heights: 34" / 48" / 84"

Custom Depth Range: 8" to 15" Standard Depth: 14"

-----

Thickness: <sup>3</sup>/<sub>4</sub>" (1 <sup>1</sup>/<sub>2</sub>" not available)


# □ Shelves – Adjustable

Custom Width Range: 4" to 96" Standard Widths: 18" / 24" / 30" / 36"


Custom Depth Range: 8" to 30" Standard Depths: 14"/16"/19"/24"


Thickness: 3⁄4" or 1-1⁄2"


- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.











# □ Angled Shoe Shelves with Fence

Custom Width Range: 8" to 37" Standard Widths: 18"/24"/30"/36"

Custom Depth Range: 14" to 30" Standard Depths: 14" / 16" / 19" / 24" -----Thickness: <sup>3</sup>/<sub>4</sub>" or 1-<sup>1</sup>/<sub>2</sub>"


# Cleats

Custom Width Range: 6" to 48" Standard Widths: 18"/24"/30"/36" -----Height: 3" -----Thickness: <sup>3</sup>/4"

# □ Valance

Custom Width Range: 6" to 48" Standard Widths: 18" / 24" / 30" / 36" ------Height: 3" ------Thickness: <sup>3</sup>/<sub>4</sub>"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.



# Backs or Applied Backs

Custom Width Range: 6" to 48" Standard Widths: 18"/24"/30"/36" ------Custom Height Range: 6" to 108" ------Thickness: 3/4"

# □ Tops


Custom Width Range: 6" to 96" ------Custom Depth Range: 6" to 48" ------Thickness: <sup>3</sup>/<sub>4</sub>" or 1-<sup>1</sup>/<sub>2</sub>"

# □ Filler

Custom Width Range: 3" to 10" Standard Width: 3" ------Custom Height Range: 6" to 108" ------Thickness: <sup>3</sup>/4"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.





# □ Angled Corner Shelves (Left or Right)

Custom Width Range: 24" to 48" Standard Width: 28"

Custom Depth Range: 8" to 30" Standard Depth: 14"

Thickness: 3/4" or 1-1/2"

# □ Radius Corner Shelves (Left or Right)

Custom Width Range: 24" to 48" Standard Width: 28"

Custom Depth Range: 8" to 30" Standard Depth: 14"

Thickness: <sup>3</sup>/4"

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Note: Not available in Matte or High Gloss

# Outside Corner Shelves (Left or Right)

Custom Width Range: 8" to 24" Standard Width: 14"


Custom Depth Range: 8" to 24" Standard Depth: 14"

-----

Thickness: 3/4" or 1-1/2"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.





# □ Islands

Custom Width Range: 4" to 48" Standard Widths: 18" / 24" / 30" / 36"

Custom Depth Range: 24 <sup>3</sup>⁄<sub>4</sub>" to 43 <sup>3</sup>⁄<sub>4</sub>" Standard Depths: 14"/14" // 16"/16" // 19"/19" // 19"/24" Mix & Match Depths: 14"/16" // 14/19" Etc. Note: 24"/24" Not available

Thickness: 3/4" or 1-1/2"

Islands consist of the following parts:

- Island Panels
- Back Panel
- Fixed Shelves
- Toe Kicks


Add additional parts for your custom designed Island


# Notes:


The Back Panel slides between the fixed shelves to create the H structure.


Multiple Island modules can be connected together.

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.









# □ FRONT Molding (2pc)

Standard Height: 3" Back Piece Standard Heights: 4" / 5" / 6" Front Piece Length Offered: 96" **2 piece system** - Typically mounted against the ceiling or provide a finished stepped look .

# □ TOP Molding (1pc)

Standard Heights: 4" / 5" / 6" Front Piece Length Offered: 96" **1 piece system**- Provide a taller grand finish or used to scribe against the ceiling.


# □ TOE Molding (1pc)

Standard Heights: 4"/5"/6" Front Piece Length Offered: 96" **1 piece system** - Used with 3 different size toe kicks in conjunction with Doors or Drawers or by itself.

# □ VALANCE Molding (1pc)

Standard Height: 3" Length Offered: 96" **1 piece system** - Used below a shelf to create a large facia look and or used to hide lighting for a table top area

- All moldings provided in 96" lengths that will be cut-to-fit on-site during install.
- All 2 piece moldings to the ceiling REQUIRE minimum 5" of height space.





# Door Profiles – (Euro / Shaker / Shaker GD)

Custom Width Range: 8" to 48" Standard Widths: 18 5/8" / 24 5/8" / 30 5/8" / 36 5/8" ------Custom Height Range: 12" to 96" ------Thickness: 3/4"

Note: Single door maximum width of 24 5/8"

# Lift Door Profiles – (Euro / Shaker / Shaker GD)


Custom Width Range: 22" to 48" Standard Widths: 24 5/8" / 30 5/8" / 36 5/8" ------Custom Height Range: 9" to 15" ------Thickness:: <sup>3</sup>/4"

# □ Hamper Door - (Euro / Shaker / Shaker GD-not available)

Custom Width Range: 18" to 30" Standard Widths: 18 5/8" / 24 5/8" / 30 5/8" -----Standard Height: 27 5/8" only -----

Thickness: 3/4"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.



# Drawers - (Euro / Shaker / Shaker GD-not available)

Custom Width Range: 8" to 36" Standard Widths: 18 5/8" / 24 5/8" / 30 5/8" / 36 5/8"

Profile Standard Heights: 6" / 8" / 9" / 12"

Thickness: 3/4"

\_\_\_\_\_

# □ Jewelry/Belt/Ironing Drawer - (Euro/Shaker/ Shaker GD-not available)

Standard Opening Width: 24" only Standard Profile Width: 24 5/8" ------Standard Heights: 6" / 8" ------Thickness: 3/4"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.











# □ Tempered Glass Shelves

Custom Width Range: 6" to 48" Standard Widths: 18"/24"/30"/36"

Custom Depth Range: 8" to 30" Standards Depths: 14"/16"/19"/24" ------Thickness: 6mm or 10mm

Notes:

Polished edges all around with a slight chamfer.

Recommend to design with 10mm for any possible weighted applications

# □ Floating Shelf

Custom Width Range: 24" - 78"


Custom Depth Range: 7" - 12" Standard Depth: 12"

Thickness: 1-1/2"

# Note:

Includes cut-to-size wall rail and needed hardware.

Concealed brackets are adjustable to angle shelf from the wall.



# Shelving / Drawers Tower

12" - 30" Depth 6" - 107" Height 8" - 36" Width Drawer Heights 6"/8"/9"/12" Drawer Depths 12"/14"/16"/18"/22" Mix & Match Sizes

### Hanging / Drawers / Shelving Tower

12" - 30" Depth 6" - 107" Height Overall Hanging Depth 22" Drawer 8" - 36" Width Drawer Heights 6"/8"/9"/12" Drawer Depths 12"/14"/16"/18"/22" Mix & Match Sizes

# Shelving / Drawers / Cubby Tower


Tower 12" - 30" Depth Tower 6" - 107" Height Drawer 8" - 36" Width Drawer Heights 6"/8"/9"/12" Drawer Depths 12"/14"/16"/18"/22" Mix & Match Sizes


# Hanging / Drawers Tower


12" - 30" Depth 6" - 107" Height Overall Hanging Depth 22" Drawer 8" - 36" Width Drawer Heights 6"/8"/9"/12" Drawer Depths 12"/14"/16"/18"/22" Mix & Match Sizes

Shelving / Drawers / Shelving Tower 12" - 30" Depth 6" - 107" Height Drawer 8" - 36" Width Drawer Heights 6"/8"/9"/12" Drawer Depths 12"/14"/16"/18"/22" Mix & Match Sizes









Pull-out Pant Rack 18" / 24" / 30" Width Only 20.5" / 26.5" / 32.5" Width Only (spacers for behind doors) 14" Depth Only - Fits 14" - 30" Depth Space Combine Drawers, Shelves, Wire Baskets, etc. with Pullout. Colors Available: Chrome Matte Aluminum Matte Black

Pull-out Hamper Rack 18" / 24" / 30" Width Only 20.5" / 26.5" / 32.5" Width Only (spacers for behind doors) 14" Depth Only - Fits 14" - 30" Depth Space Combine Drawers, Shelves, Wire Baskets, etc. with Pullout.

### Pant Rack


Width: 18" = 12 Hangers Width: 24" = 18 Hangers Width: 30" = 24 Hangers


Depth: 14" only Requires Min. 26" Height

# Laundry Hamper

Width: 18" = 1 Bag Width: 24" = 2 Bag Width: 30" = 2 Bag

Depth: 14" Only Requires Min. 21" Height















Tilt-Out Hamper Basket with Optional Cloth Liner 18" – 37" Width Range (18" / 24" / 30" Standard) 14" Depth only - Fits 14" -30" Depth Space Optional Cloth Liner All 5 colors available Combine Drawers, Shelves, Wire Baskets, etc. with Tilt-Out.



Colors Available: Chrome Matte Aluminum Matte Gold Slate Black





Tilt-Out Hamper Fabric with Optional Cloth Liner

18" – 37" Width Range (18" / 24" / 30" Standard) 14" Depth only - Fits 14" -30" Depth Space

Black Only Combine Drawers, Shelves, Wire Baskets, etc. with Tilt-Out.



Tilt-out Laundry Hamper - Basket Width: 18" = 1 Basket Width: 24" = 1 Basket Width: 30" = 1 Basket Depth: 14" Only Requires Min. 27" Height Tilt-out All 5 colors available



Tilt-out Laundry Hamper -Fabric

Width: 18" = 1 Bag Width: 24" = 2 Bags Width 30" = 2 Bags Depth: 14" Only Requires Min. 27" Height Tilt-out Black Only Pull-out Mirror 48" Min. Height Required 14" Min. Depth Required Combine Drawers, Shelves, Wire Baskets, etc. with Mirror.


> Chrome - N/A Matte Aluminum Matte Gold Slate Black

Valet Rod

Can fit between shelves 14" Min. Depth Required Belt Rack 50" Min. Height Required

14" Min. Depth Required Tie Rack
32" Min. Height Required
14" Min. Depth Required Scarf Rack

35" Min. Height Required 14" Min. Depth Required



Colors Available: Chrome Matte Aluminum Matte Gold Slate Black







Pull-out Wire Basket Baskets 18" / 24" / 30" Width Only 20.5" / 26.5" / 32.5" Width Only (spacers for behind doors)

14" Depth Only - Fits 14" - 30" Depth Space 3 Basket Heights: 6" / 11" / 17"

Combine Drawers, Shelves, etc. with Baskets.











Chrome Matte Aluminum

> Matte Gold Slate Black

Loning Dawer

### Ironing Board

Fits 21" - 35" Width Only 14" Depth Only - Fits 14" - 30" Depth Space Requires Fixed Shelf Below For Mounting Slides-Out, Unfolds and Rotates Combine Drawers, Shelves, etc. with Ironing Board.

Width: 20.5" Wide Height: 5.5" Depth: 14" Only Slide-Out / Flip Front White with Fabric Cover



Pull-down Closet Rod Fits 27.25" - 47.5" Width Space Fits 14" - 30" Depth Space Soft-close in Retracting Mode Only Combine Drawers, Shelves, etc. with Pull-Down Rod.

Black/Chrome





Corner Module - Angled Shelves 8" - 30" Depth

6" - 107" Height 24" - 48" Width Mix & Match Shelves Must use Angled Shelves for Doors

### Corner Module - Hanging

8" - 30" Depth 6" - 107" Height 24" - 48" Width Mix & Match Shelves Doors NOT available with Radius Shelves

# Corner Module - Radius Shelves


8" - 30" Depth 6" - 107" Height 24" - 48" Width Mix & Match Shelves Doors NOT available with Radius Shelves

### Corner Module - Doors

8" - 30" Depth 6" - 107" Height 24" - 48" Width Mix & Match Shelves Must use Angled Shelves for Doors Door Max: 96" Height









Outside Corner Shelves - Angled Shelves (Left or Right)

8" - 24" Depth 6" - 107" Height 8" - 24" Width Door Max: 96" Height Fixed Shelves ONLY – Must Unscrew Hardware for Adjustability Combine Drawers, Shelves, Doors, etc. on connecting Tower.



Shelving Tower

4" - 48" Width 8" - 30" Depth

# Shelving Tower / Single Door

4" - 48" Width 8" - 30" Depth Single Door Max: 24" Wide

Drawers/Shelving Tower

8" - 36" Width 12" - 30" Depth Choose 6" / 8" / 9" / 12" Heights Mix & Match Sizes Shelving Tower / Single Door With TOP 4" - 48" Width 8" - 30" Depth Single Door Max: 24" Wide










# Islands

4" - 48" Width 12" / 14" / 16" /19" /24" Depth Per side 24" x 24" Depth is Not available Multiple Modules may be Connected Together (2 Plus) Shelves, Doors, Drawers, Accessories are all available in the modules Note: Single door max 24"









# Wall Shelving Tower


8" - 15" Depth 12" - 84" Height 8" - 48" Width

# Wall Cabinet with Shelves / Doors

8" - 15" Depth 12" - 84" Height 4" - 48" Width

### Wall Cabinet with LIFT Door

8" - 15" Depth 9" - 15" Height 22" - 48" Width







# Closet

Colors Available: Chrome Matte Aluminum Matte Gold Slate Black

Round Closet Rod 1-5/16" Diameter



Belt Rack

Valet Rod 14" Depth Slide - out




Tie Rack 14" Depth Slide - out



Single Coat Hook 6-1/4" Height 3-5/8" Depth Scarf Rack 14" Depth Slide - out

Wire Basket 14" Depth 18" / 24" / 30" Width 6" / 11" / 17" Height Slide - out



Double Coat Hook 3-1/2" Width 2-1/2" Depth Tilt-out Laundry Hamper Basket w/ optional Liner 14" Depth 18" / 24" / 30" Width



Mirror 48" Height 14" Depth Not Available: Chrome



# Closet

# Slide-out Pant Rack

W: 18" = 12 hangers W: 24" = 18 hangers W: 30" = 24 hangers D: 14" Only Requires 26" H Slide-out Chrome Black Aluminum



# Slide-out Laundry Hamper

W: 18" = 1 Bag W: 24" = 2 Bag W: 30" = 2 Bag D: 14" Only Requires 21" H Slide-out Chrome Black Aluminum



# Tilt-out Laundry Hamper

W: 18" = 1 Bag W: 24" = 2 Bag D: 14" Only Requires 27" H Tilt-out Black



# Pull-down Rod

W: 27.25" to 47.5" D: 14" to 30" space Requires 40" H Soft-close up Black/Chrome



# Belt/Watch Tray

W: 24" Width only Slide-out / Flip Front H: 4" D: 14" Only Grey Only



# Jewelry Tray

W: 24" Width only Slide-out / Flip Front H: 2" D: 14" Only Grey Only



Closet Rod Oval 1-3/16 Diameter Chrome



# Slide-out Ironing Board

W: 20.5" Width H: 5.5" D: 14" Only Slide-out / Flip Front



**Omni Track** 



Aluminum Track Ends



Plastic Track Ends



Computer Arm with Desk Mount



Wall Mount



Track Mount



2 Computer Arms with Desk Mount



Storage Bins (S/M/L)



File Hanger



Small Tray



Paper Tray



Pencil Tray



**Power Data Station** 



Keyboard Tray Combo



Pop-up Power Station



Grommet 23/8"



**Drawer Locks** 






Filing System







# Handles




Electrical components such as Drivers, Cables and Connectors will depend on the configuration of the lighting throughout the design.








13/8" LED Light WW





LED Strip Lighting WW 5M adhesive roll



Colors Available: Chrome Matte Gold Matte Aluminum Matte Black Slate



Door Activation Switch Open door to activate light



Concealed Touch switch Mounted behind <sup>3</sup>/<sub>4</sub>" wood valance or panel and touch to activate light




Motion Activation Switch Motion sensor to activate light




# Wall Switch

Lighting system to be used in conjunction with a dedicated wall plug operated by a on/off switch.

# Lighting



**To Start:** Layout the lights needed on the closet diagram and map the components below. Work from the lights to the wall socket detailing the leads and adapters needed. Once mapped and dimensions of the runs are less than the lead lengths then place the order within the 2020 Designs PFC catalog. \*Don't be afraid to add extra leads just incase\*



# Garage Cabinets



# Garage Accessories

# The Benefits


Top & Bottom are 1" thick		
Panels are 3/4" thick		
Shelves are 1" thick		
Back Panel is 3/4" thick		
All exposed edges have zero joint 1mm edge banding (Top / Front / Bottom)		
Extra Line boring on the back is added for extra		
Cabinets that are 24" deep have a 3 <sup>rd</sup> shelf		
Adjustable garage legs can be added to each design. 5 <sup>th</sup> center leg is used for larger cabinets		






## **TFL Level Three**

### LEGEND - Exterior



## High Gloss


## LEGEND - Exterior




## LEGEND - Exterior



A second














# The System





Garage Cabinets are available in 3 matching colors for all internal parts. External parts are available in multitude of different color options.



CABINET EXTERIOR ADDITIONS Colors Available:

ALL TFL / MATTE / HIGH GLOSS COLORS Including Cabinet colors

Colors available includes the following: DOORS (3/4") / DRAWER FRONTS (3/4") END PANELS (3/4")

CABINET & DRAWER BOXES (TFL) Colors Available:

WHITE / CANADIAN GREY / MAPLE \*Color options are due to 1" material availability

Colors available includes the following: PANELS (3/4") / DECKS (Top/Bottom) (1") SHELVES (1") / BACK (3/4") / TFL DRAWER BOX (3/4")

# The Build



Garage legs are optional. 6" long with 1" adjustment. Aluminum shank can be trimmed.



Conformat and pre-glued dowels are used along all mating edges of the cabinet to create a very strong and durable structure.







System Bolt Single H 263.20.985 'Single Fixed Sherves: Cam system Locks onto Place on end Gables/Panels

Connectors and Shelf pins are used for all internal shelves.



Additional hardware is provided to attach each cabinet together for extra support.



All doors and drawers come with softclose hinges and undermount slides



## Base Cabinet / Open 12" - 24" Depth 12" - 96" Height 12" - 48" Width

## Base Cabinet / Doors

12" - 24" Depth 12" - 96" Height 12" - 48" Width Note: Single door max 24" width

## Base Cabinet / Drawers

14" - 24" Depth 12" - 96" Height 12" - 36" Width Choose 6" / 8" / 9" / 12" Heights Mix & Match Sizes

## Cabinet TOPS

12" - 96" Width 12" - 48" Depth 1.125" Thickness






### Upper Cabinet


12" - 14" Depth 12" - 31" Height 12" - 48" Width


## Upper Cabinet / Doors

12" - 14" Depth 12" - 31" Height 12" - 48" Width Single Door Max: 24" Wide









## Tall Cabinet

Custom Width Range: 12" to 48" Standard Widths: 18" / 24" /30" / 36"

Custom Depth Range: 12" to 24" Standard Depths: 24"

Custom Height Range: 12" to 96" Standard Heights: 90" - 96"

Thickness: <sup>3</sup>/<sub>4</sub>" & 1" mix

## Base Cabinet

\_\_\_\_\_

Custom Width Range: 12" to 48" Standard Widths: 18" / 24" /30" / 36"

Custom Depth Range: 12" to 24" Standard Depths: 24"

Custom Height Range: 12" to 96" Standard Heights: 90" - 96"


Thickness: <sup>3</sup>/<sub>4</sub>" & 1" mix

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.

\_\_\_\_

\_\_\_\_\_





## Upper Cabinet

Custom Width Range: 12" to 48" Standard Widths: 18" / 24" /30" / 36"

Custom Depth Range: 12" to 14" Standard Depths: 12"

Custom Height Range: 12" to 31" Standard Heights: 30"

Thickness: <sup>3</sup>/<sub>4</sub>" & 1" mix

## 🗆 End Panel

\_\_\_\_\_

\_\_\_\_\_

Custom Depth Range: 12 7/8" to 24 7/8" Standard Depths: Cabinet Dept + 7/8"

Custom Height Range: 12" to 96" Standard Heights: Cabinet Height

Thickness: 3⁄4"

## Cabinet HPLTOP


Custom Width Range: 6" to 96"

----

Custom Depth Range: 12" to 48" Standard Depths: 25"

Thickness: 11/8"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.



## Back Panel

Custom Width Range: 10 ½" to 46 ½" Standard Widths: 16 ½" / 22 ½" / 28 ½" / 34 ½"

Custom Height Range: 10" to 95" Standard Heights: Cabinet Height

Thickness: 3/4"

## □ Shelves – Fixed (cam)

Custom Width Range: 10" to 46" Standard Widths: 16 ½" / 22 ½" / 28 ½" / 34 ½" -----Custom Depth Range: 11 ¼" to 23 ¼" Standard Depths: 11 ¼" / 13 ¼" / 15 ¼" / 18 ¼" / 23 ¼"

Thickness: 1"

## □ Shelves – Adjustable

Custom Width Range: 10" to 46" Standard Widths: 16 1/2" / 22 1/2" / 28 1/2" / 34 1/2"

Custom Depth Range: 11 ¼" to 23 ¼" Standard Depths: 11 ¼" / 13 ¼" / 15 ¼" / 18 ¼" / 23 ¼"

Thickness: 1"

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.





## Giller

Custom Width Range: 3" to 10" Standard Width: 3" ------Custom Height: Range: 6" to 108" ------Thickness: 3/4"

## Door Profile – Euro

Custom Width Range: 12" to 48" Standard Widths: 17 7/8" / 23 7/8" / 29 7/8" / 35 7/8" ------Custom Height: Range: 12" to 96" ------

Thickness: 3/4"

Notes: Single Door Max: 24" Wide

## Drawer Profile – Euro

Custom Width Range: 12" to 36" Standard Widths: 17 7/8" / 23 7/8" / 29 7/8" / 35 7/8"

Custom Height Range: 6" / 8" / 9" / 12"

Thickness: 3/4"

\_\_\_\_\_

- Default edge-banding locations apply to individual parts.
- Parts can be custom sized at no extra charge.



## Euro



- 3/4" thick TFL board
- Available in all colors
- Matching 1mm edge-banding
- Max size of 24"W x 96"H per door
- Zero Joint, superior smooth corner edge-banding



110' Soft-Close Hinges defaulted on all Doors




• Handles on page 67 & 90



3 TFL Colors

- TFL drawer boxes are available in matching White, Maple & Canadian Grey finishes.
- Soft-close or Push-to-Open slides are used with every drawer box.
- DTC's concealed undermount Slides featuring Soft-Close, full extension and a 4-way adjustment locking clips.



## TFL Drawer Box

3/4" Thick Walls & 3/4" Thick Bottom Undermount Soft-close Slides Push to Open Slides available 1 ¼" Spacers available for install behind doors



Custom Width Range: 8" to 36"

Standard Widths: 18" / 24" / 30" Standard Heights: 6" / 8" / 9" / 12" Standard Depths: 12" / 14" / 16" / 18" / 22"

### Dovetail Drawer Box

5/8" Thick Walls & 1/4" Thick Bottom Undermount Soft-close Slides Push to Open Slides available



Custom Width Range: 8" to 36"

Standard Widths : 18" / 24" / 30" Standard Heights: 6" / 8" / 9" / 12" Standard Depths: 12" / 14" / 16" / 18" / 22"

1 ¼" Spacers available for install behind doors

Scooped Dovetail Drawer Box

5/8" Thick Walls & 1/4" Thick Bottom Undermount Soft-close Slides Push to Open Slides available

1 ¼" Spacers available for install behind doors




Custom Width Range: 8" to 36"


Standard Widths : 18" / 24" / 30" Standard Heights: 2" / 3" / 6" / 8" Standard Depths : 12-5/8 " / 14-5/8" / 16-5/8" Depths Continued : 18-5/8" / 22-5/8"

# Garage





Wall A





Wall C





# Jarage



**Omni Track** 



Aluminum Track

Ends



**Plastic Track Ends** 



Screwdriver Hook



**Pliers Hook** 



Paper Towel Organizer



Activity Hook



Wrench Hook



Fishing Rod Hook



Hand Tool Hook



Garden Hook





Single Hook



Utility Hook



Vertical Bike Hook



**Extruded Door Handle** 

Horizontal Bike Hook







## Design & Install Information

Our team's philosophy is to provide on-going complimentary guided training every step of the way. Your designers and installers will have unlimited access to our training programs and dealer platform, along with access to our customer success team for the following:

## Designing Videos



Product Overview Sales Training Marketing Tools 3D Software Design Training Installation Training

## Installation Videos



Playlist – Quick Guide

- 1. Wall Creating Basic
- 2. Wall Creating Advanced; Webinar
- 3. Designing with ¼" Variances
- 4. Designing with 1" + Variances
- 5. Tall Modules; Build
- 6. Wall Modules; Build
- 7. Modules and Parts; Webinar
- 8. Color, Profiles, and Finishes

Advanced videos are available on our dealer portal.

- 1. Overview (1Vid)
- 2. What to Expect-Receiving (2Vids)
- 3. Pre-Check (6Vids)
- 4. Arriving and Staging (1Vid)
- 5. Tall Modules (8Vids)
- 6. Wall Modules (8Vids)
- 7. Closet Parts (8Vids)
- 8. Drawer Box Install (9Vids)
- 9. Cabinet Door Install (1Vid)
- 10. Closet Accessories (3Vids)
- 11. Closet Lighting (1Vid)
- 12. Extra Installation (2Vids)
- 13. Securing Modules to Wall (2Vids)
- 14. Removing Labels (1Vid)

## ORDER PROCESS

## One-Stop-Shop

Upon receiving an order, it enters our production queue, where each item is meticulously custom-produced by our team. We do not maintain inventory for standard-sized core items. The final packaged pallet includes, but is not limited to; custom-produced materials, door and drawer profiles, drawer boxes, cut-to-size closet rods, requested Hafele accessories, and all necessary hardware in individualized boxes, per space of the home ordered. The pallet arrives at our Authorized Dealer facility fully prepared for installation.

## PALLET & PACKAGING



Each pallet is typically constructed to be between 8 to 10 feet long and 4 feet wide, with a height ranging from 1 to 3 feet. The weight of each pallet varies, typically between 1000 lbs. to a maximum estimated weight of 3500 lbs.

To ensure secure transport, we meticulously layer a foam barrier between each product layer to prevent movement and chipping.

Hardware and consumable items are packaged together in boxes and labeled according to the allocated space within an order. In instances where multiple spaces are accommodated on a single pallet, each space is packaged individually for added organization and protection.

Furthermore, we construct a barrier around the pallet acting as another line of defense while in transport.

## Product Care

Clean with warm water, a clean rag or microfiber cloth, a soft sponge or soft brush. Use normal domestic cleaners or soaps that have no abrasive ingredients.

Then wipe with fresh water, removing all traces of the cleaning agent, to prevent streaks forming. Dry the surface with a clean, absorbent cloth or paper towels.

Avoid harsh household cleaners and abrasives.

The following cleaning agents should not be used under any circumstances:

Scouring and abrasive agents.	Polish, washing powder, furniture cleaner, bleach.	Detergents with strong acids and acidic salts.	Steam cleaning equipment.
--	---	---	---------------------------------

# Warranty

## Limited Lifetime Warranty

Our core products include a limited lifetime residential warranty and limited one-year non-residential warranty. Perfect Fit Closets warrants that the core products you purchased will be free from defects in material for the normal lifecycle of the products when used for single- family residential use, and or for one year when used for non-residential or commercial use. This limited warranty extends only to the original end user of the Products, and is not transferable. Each warranty claim will be reviewed case per case.

